

North American Core Product Catalog

July 2025



Programs

Products to meet your needs

Whether you need an agency recognition such as UL or BS 5609, or a sustainable solution, we have a product for your application. Look for the designation in the following product tables.

Standard

- **Quick-ship:** Wide-web product constructions finished to your specifications — ships within 2 business days
- **Flexcon® FlexChoice™:** custom width program: offers smaller minimums for select Durables and Packaging products, where off-cuts remain with us — ships within 2 business days
- **Pre-finished inventory:** products are pre-slit or sheeted to the most popular sizes and quantities — ships same day

▲ FlexChoice™

Custom (Made-to-order, MTO)

Can use a combination of standard and non-standard raw materials.

- **Standard materials:** 10-14 days
- **Non-standard materials:** 60-90 days, based on raw material availability

Availability

Please contact your sales representative or visit flexcon.com for the most updated product offering and availability. This list does not reflect customer specific products. Your customer support team can help identify the classification of any products that don't appear on the published list.

Programs

Visit www.flexcon.com/capabilities/delivery

Market Products

Standard

Quick-ship 2 days

FlexChoice™ 2 days – no offcuts

Pre-finished Same day

Custom (Made-to-order, MTO)

Standard materials 10-14 days

Non-standard materials 60-90 days, or based on raw material availability

Index


| | |
|-----------------------------|-------|
| Adhesives | 5-7 |
| Consumer Packaging Overview | 8 |
| FlexChoice™ Packaging | 9-10 |
| Consumer Packaging Products | 11-12 |
| Consumer Durables Overview | 13 |
| FlexChoice™ Durables | 14 |
| Consumer Durables Products | 15-20 |
| Healthcare | 21-24 |
| Industrial & Transportation | 25-27 |
| Retail & Advertising | 28-31 |



flexcon.com



FlexChoice™ Products



Multi-layer Constructions



Topcoats

- Digital print
- Conventional print
- Surface protection



Films

- Polyester
- Polyethylene
- Polypropylene
- Polyimide
- Vinyl
- Foam
- Foil/metal
- Non-woven
- Urethane
- Tamper-evident
- Thermal & low Dk




Adhesives

- Solvent acrylic
- Emulsion acrylic
- Rubber
- Silicone
- Hot melt
- Proprietary adhesive blends



Liners

- Paper
- Coated paper
- Polyester
- Printable



Adhesives

For nearly seven decades, Flexcon's leadership in adhesive technologies has revolutionized thousands of products across dozens of industries. From standard to custom, simple to complex, we take a collaborative approach to providing best-in-class products that benefit your business and end users alike. Whether your priorities are safety, style, durability, or recyclability, we have products to meet your standards and exceed your expectations.

Built for everyday reliability

We believe that everyday items should still be exceptional. Our comprehensive line of general-purpose adhesives is designed to provide a strong balance of properties for dependable daily use. This includes beverage labeling, branding graphics, overlaminates, UV protections, and more.

Engineered for high-performance

Our high-performance adhesives offer superior quality and resistance against the most demanding, mission-critical conditions from chemicals, temperature extremes, direct skin contact, abrasion, and more. From tamper-evident labels to aggressive permanent adhesives, our products will maintain a strong bond built to withstand degradation from chemical, temperature, abrasion, and more.

Application surface energy

Surface energy is the measure of excess energy at the surface of a material compared to its interior, influencing interactions like wetting and adhesion.

○ Low

- PVA
- Polystyrene
- EVA
- PE
- PP
- PVF, PVDF, PTFE
- Silicone

○ Medium

- Wood
- Nylon
- PMMA (Acrylic)
- PET
- PU Foam
- TPU
- PC
- PVC

● High

- Copper
- Stainless steel
- Aluminum
- Tin
- Ceramic
- Glass

We also provide removable solutions that meet extreme environmental and processing performance requirements.

Trusted for critical healthcare applications

Flexcon's healthcare adhesives are proven to deliver patient safety and comfort, every time. We offer a selection of medical adhesives for pharmaceutical and medical device labeling, wearables, diagnostics, and tapes. Our products meet applicable FDA standards and provide patient-friendly alternatives to reduce pain and allergic reactions.

Temporary when it needs to be

For permanent applications, our products may not need to last a lifetime, but they're anything but expendable. From bus wraps to window perforated films, our temporary adhesive products allow for a smooth, weather-resistant seal for incredible looking results. When it's time for a change, our components peel off without leaving any residue behind.

Sustainable solutions to benefit the planet

We develop eco-friendly components to enhance the recyclability of products without sacrificing aesthetics or causing mechanical issues at recycling plants. Our solutions include options for recycling of both HDPE and PET containers.

Wetting occurs when a liquid spreads out uniformly over a material's surface.

Adhesion is the ability of a material to bond and adhere to a surface through physical or chemical interactions, keeping the materials securely connected.

Higher surface energy materials, such as glass and metals, promote stronger adhesion as they allow for better contact between the liquid (adhesive) and the solid surface. These materials have more available energy at their surface, making it easier for liquids to spread (or "wet out") across the surface.

Low surface energy materials, such as polyethylene (PE) and polypropylene (PP), generally exhibit poor adhesion and tend to repel liquids, making it challenging for adhesives to spread and create a strong bond.

Adhesive Guide

| Application Substrate Surface Energy | | | | Performance Attributes | | | | | | | | | Applications | | | | |
|--------------------------------------|-----|------|----------------|------------------------|--------------|-----------|-----------|--------------|--|---------------------|---------------------|--------------|---------------|--------|----------|---------|-------|
| Low | Med | High | Adhesive | General Purpose | High Perfor. | Permanent | Removable | High Clarity | High Temp. Resist. (up to 302°F [150°C]) | Chemical Resistance | Moisture Resistance | Skin Contact | UL Recognized | Labels | Graphics | Medical | Tapes |
| | ○ | ● | A-109 | ● | | | ● | | | | | | | | ● | | |
| ○ | ○ | ● | A-136 | ● | ● | ● | | ● | ● | | | | | ● | | | |
| ○ | ○ | | A-173 | ● | | ● | | ● | | | | | ● | ● | ● | | |
| ○ | ○ | ● | A-208 | ● | | ● | | ● | | | ● | | | ● | | | |
| ○ | ○ | ● | A-361, L-361 | ● | ● | ● | | | | | | | ● | ● | ● | | |
| ○ | ○ | ● | A-69 | ● | ● | | ● | | ● | | | | | ● | ● | | |
| ○ | ○ | ● | A-896 | ● | | ● | | | | ● | | | ● | ● | ● | | |
| ○ | ○ | ● | Densil® SC-109 | | ● | ● | | | ● | | | | | ● | | | ● |
| ○ | | | H-510 | | ● | | ● | | | | | ● | | | | ● | ● |
| ○ | | | H-566 | | ● | | ● | | | | | ● | | | | ● | ● |
| ○ | ○ | ● | L-157 | ● | ● | ● | | ● | | | | | ● | ● | ● | | |
| ○ | ○ | ● | V-01, L-01 | ● | | ● | | ● | ● | | | | ● | ● | | | |
| ○ | ○ | ● | V-127RE | | ● | ● | | | | | | | | ● | | | |
| ○ | ○ | ● | V-133 | | ● | | ● | ● | | ● | | | | ● | ● | | |
| ○ | ○ | ● | V-156, L-156 | | ● | ● | | | ● | | | | ● | ● | | ● | |
| ○ | ○ | | V-176 | ● | | ● | | ● | | | | | ● | ● | ● | | |
| ○ | ○ | ● | V-22 | ● | | ● | | ● | | ● | | | ● | ● | | | |
| ○ | ○ | ● | V-224, L-224 | ● | | ● | | | | ● | | | ● | ● | ● | | |
| | ○ | ● | V-23, L-23 | ● | ● | ● | | | | ● | | | ● | ● | ● | | |
| ○ | ○ | ● | V-232 | ● | ● | ● | | ● | ● | | | | | ● | | ● | |
| ○ | ○ | ● | V-232C | ● | ● | ● | | | ● | | | | | ● | | ● | |
| ○ | ○ | ● | V-232F | ● | ● | ● | | ● | ● | | | | | ● | | ● | |
| | ○ | ● | V-246 | ● | | ● | | | | | | | | | | ● | ● |

Adhesive Guide

| Application Substrate Surface Energy | | | | Performance Attributes | | | | | | | | | | Applications | | | |
|--------------------------------------|-----------------------|----------------------------------|-------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Low | Med | High | Adhesive | General Purpose | High Perfor. | Permanent | Removable | High Clarity | High Temp. Resist. (up to 302°F [150°C]) | Chemical Resistance | Moisture Resistance | Skin Contact | UL Recognized | Labels | Graphics | Medical | Tapes |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-29, H-529, L-29, L-10 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> |
| | <input type="radio"/> | | V-300 | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | | | | | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | |
| | <input type="radio"/> | <input checked="" type="radio"/> | V-305 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-32, A-32 | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | | | |
| | | <input checked="" type="radio"/> | V-323 | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | | | | <input checked="" type="radio"/> | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-330 | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | | | | <input checked="" type="radio"/> | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-344, L-344 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-344DL | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | | <input checked="" type="radio"/> | | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-449 | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | |
| | <input type="radio"/> | <input checked="" type="radio"/> | V-465 | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | | | | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-478 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> |
| | <input type="radio"/> | | V-526 | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | |
| | <input type="radio"/> | <input checked="" type="radio"/> | V-52RE | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | | | | | | <input checked="" type="radio"/> | | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-58 | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-606, L-606 | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-611 | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | | | <input checked="" type="radio"/> | | | |
| | <input type="radio"/> | | V-63 | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | | | | | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-778, H-778, L-778 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-81 | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-88, L-88 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | V-95 | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | SA3000 Series | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> |
| <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | SA6000 Series | | <input checked="" type="radio"/> | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> | | | | | <input checked="" type="radio"/> | | | <input checked="" type="radio"/> |

Consumer Packaging

Engineered for plastic, glass, aluminum, and flexible packaging.

We offer brands the most engaging and best performing packaging labels and materials that help them reach their sustainability goals.

Flexcon® EcoFocus® sustainable solutions - a series of pressure-sensitive label stocks designed with an added element of sustainability, such as enabling recyclability or compostability, the manufacture of materials from recycled content, biobased components or containing sustainably-sourced materials.

Key applications include: beverage labels, food packaging, household products, and personal care and cosmetics.



FlexChoice™ Packaging Products

This program allows you to order custom widths of specific products with smaller minimums, and fast turnaround. Visit www.flexcon.com/FlexChoice to view the list of products, locations, and minimums.

| FLX# | Flexcon® Products | 5,000' Rolls, +/- 10% 3" core | 10,000' Rolls, +/- 10% 6" core | Availability |
|---------|---|----------------------------------|-----------------------------------|--------------|
| 069057▲ | OptiFlex® EcoFocus® 069057 (PE 300 F Clear V-127RE TracRite™ 120) | | ● | MA, NE |
| 069058▲ | OptiFlex® EcoFocus® 069058 (PE 300 F White V-127RE TracRite™ 120) | | ● | MA, NE |
| 068847▲ | OptiFlex® EcoFocus® PP 200 H Clear TC-458 V-52RE TracRite™ 120 | | ● | MA |
| 068848▲ | OptiFlex® EcoFocus® MPP 200 H Silver TC-458 V-52RE TracRite™ 120 | | ● | MA |
| 068849▲ | OptiFlex® EcoFocus® PP 230 H White TC-458 V-52RE TracRite™ 120 | | ● | MA |
| 069573▲ | OptiFlex® Thin EcoFocus® 069573 (PP 160 H Clear TC-458 V-52RE TracRite™ 92) | | ● | MA |
| 069589▲ | OptiFlex® Thin EcoFocus® 069589 (PP 160 H White TC-458 V-52RE TracRite™ 92) | | ● | MA |
| 069593▲ | OptiFlex® Thin EcoFocus® 069593 (PE 220 F White V-127RE TracRite™ 92) | | ● | MA |
| 056456▲ | OptiFlex® CPP20413 (PP 200 H Clear TC-458 V-01 TracRite™ 120) | ● | ● | CA, MA, NE |
| 060202▲ | OptiFlex® CPP20416 (PP 200 H Clear TC-458 V-01 S40K-8) | ● | ● | CA, MA, NE |
| 056712▲ | OptiFlex® WPP23413 (PP 230 H White TC-458 V-01 TracRite™ 120) | ● | ● | CA, MA, NE |
| 060201▲ | OptiFlex® WPP23416 (PP 230 H White TC-458 V-01 S40K-8) | ● | ● | CA, MA, NE |

FlexChoice™ Packaging Products

| FLX# | Flexcon® Products | 5,000' Rolls, +/- 10% 3" core | 10,000' Rolls, +/- 10% 6" core | Availability |
|---------|---|----------------------------------|-----------------------------------|--------------|
| 056721▲ | OptiFlex® MPP20413 (MPP 200 H Silver TC-458 V-01 TracRite™ 120) | ● | ● | CA, MA, NE |
| 064278▲ | OptiFlex® MPP20416 (MPP 200 H Silver TC-458 V-01 S40K-8) | ● | ● | CA, MA, NE |
| 064722▲ | OptiFlex® Reseal™ 20133 (PP 200 H Clear TC-458 V-133 TracRite™ 120) | | ● | MA, NE |
| 064717▲ | OptiFlex® Reseal™ 21133 (PP 230 H White TC-458 V-133 TracRite™ 120) | | ● | MA |
| 070145▲ | OptiFlex® PP 200 H Clear TC-458 V-611 TracRite™ 120 | | ● | NE |
| 070146▲ | OptiFlex® PP 200 H Clear TC-458 V-611 Spec 40K-8 | ● | | NE |
| 070143▲ | OptiFlex® PP 230 H White TC-458 V-611 TracRite™ 120 | | ● | NE |
| 070144▲ | OptiFlex® PP 230 H White TC-458 V-611 Spec 40K-8 | ● | | NE |
| 070377▲ | OptiFlex® PP 200 F Clear PTP V-81 TracRite™ 92 | | ● | MA |
| 070378▲ | OptiFlex® PP 200 F White PTP V-81 TracRite™ 92 | | ● | MA |

Consumer Packaging Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|-------------|--|--------|---------|----------|--------------|-----------|--------------|
| BOPP | | | | | | | |
| 030751▲ | OptiFlex® PP 200 H Clear TC-458 A-208 TracRite™ 92 | Clear | TC-458 | A-208 | 0.92 Mil PET | 500 | 76" |
| 056456▲ | OptiFlex® CPP20413 - 2 Mil Clear BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner | Clear | TC-458 | V-01 | 1.2 Mil PET | 500 | 76", 60" |
| 056455 | OptiFlex® Thin CPP16419 - 1.6 Mil Clear BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner | Clear | TC-458 | V-01 | 0.92 Mil PET | 500 | 60" |
| 060202▲ | OptiFlex® CPP20416 - 2 Mil Clear BOPP, TC, V-01 Adhesive, 40K-8 Liner | Clear | TC-458 | V-01 | 40# Kraft | 500 | 60" |
| 064722▲ | OptiFlex® Reseal™ 20133 2.0 Mil Clear BOPP TC, High-performance Resealable Adhesive, TracRite™ 120 | Clear | TC-458 | V-133 | 1.2 Mil PET | 500 | 60" |
| 008271 | OptiFlex® PP 200 H Clear TC-332™ V-344 TracRite™ 120 | Clear | TC-332™ | V-344 | 1.2 Mil PET | 500 | 60" |
| 068847▲ | OptiFlex® EcoFocus® PP 200 H Clear TC-458 V-52RE TracRite™ 120 | Clear | TC-458 | V-52RE | 1.2 Mil PET | 500 | 76" |
| 070145▲ | OptiFlex® PP 200 H Clear TC-458 V-611 TracRite™ 120 | Clear | TC-458 | V-611 | 1.2 Mil PET | 500 | 60" |
| 070146▲ | OptiFlex® PP 200 H Clear TC-458 V-611 Spec 40K-8 | Clear | TC-458 | V-611 | 40# Kraft | 1000 | 60" |
| 070377 | OptiFlex® PP 200 Clear PTP V-81 TracRite™ 92 | Clear | PTP | V-81 | 0.92 Mil PET | 1000 | 60" |
| 056721▲ | OptiFlex® MPP20413 - 2.0 Mil Silver BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner | Silver | TC-458 | V-01 | 1.2 Mil PET | 500 | 76", 60" |
| 064278▲ | OptiFlex® MPP20416 - 2.0 Mil Silver BOPP, TC, V-01 Adhesive, 40K-8 | Silver | TC-458 | V-01 | 40# Kraft | 500 | 60" |
| 068848▲ | OptiFlex® EcoFocus® MPP 200 H Silver TC-458 V-52RE TracRite™ 120 | Silver | TC-458 | V-52RE | 1.2 Mil PET | 500 | 76" |
| 056712▲ | OptiFlex® WPP23413 - 2.3 Mil White BOPP, TC, V-01 Adhesive, 1.2 Mil Poly Liner | White | TC-458 | V-01 | 1.2 Mil PET | 500 | 76", 60" |
| 060201▲ | OptiFlex® WPP23416 - 2.3 Mil White BOPP, TC, V-01 Adhesive, 40K-8 Liner | White | TC-458 | V-01 | 40# Kraft | 500 | 60" |
| 056723 | OptiFlex® Thin WPP16419 - 1.6 Mil White BOPP, TC, V-01 Adhesive, .92 Mil Poly Liner | White | TC-458 | V-01 | 0.92 Mil PET | 500 | 76" |
| 064717▲ | OptiFlex® Reseal™ 21133 2.3 Mil White BOPP TC, High-performance Resealable Adhesive, TracRite™ 120 | White | TC-458 | V-133 | 1.2 Mil PET | 500 | 60" |

Consumer Packaging Products



| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|---------------------|--|--------|---------|----------|--------------|-----------|--------------|
| BOPP cont. | | | | | | | |
| 068849▲ | OptiFlex® EcoFocus® PP 230 H White TC-458 V-52RE TracRite™ 120 | White | TC-458 | V-52RE | 1.2 Mil PET | 500 | 76" |
| 069589▲ | OptiFlex® Thin EcoFocus® 069589 (PP 160 H White TC-458 V-52RE TracRite™ 92) | White | TC-458 | V-52RE | 0.92 Mil PET | 500 | 60" |
| 070143▲ | OptiFlex® PP 230 H White TC-458 V-611 TracRite™ 120 | White | TC-458 | V-611 | 1.2 Mil PET | 500 | 60" |
| 070144▲ | OptiFlex® PP 230 H White TC-458 V-611 Spec 40K-8 | White | TC-458 | V-611 | 40# Kraft | 500 | 60" |
| 000159 | OptiFlex® PP 230 H White TC-332™ V-81 TracRite™ 120 | White | TC-332™ | V-81 | 1.2 Mil PET | 500 | 76" |
| 070378 | OptiFlex® PP 200 White PTP V-81 TracRite™ 92 | White | PTP | V-81 | 0.92 Mil PET | 1000 | 76" |
| Polyethylene | | | | | | | |
| 069057▲ | OptiFlex® EcoFocus® 069057 (PE 300 F Clear V-127RE TracRite™ 120) | Clear | | V-127RE | 1.2 Mil PET | 500 | 76" |
| 011281 | OptiFlex® ConformMax™ PE30153 - 3.0 Mil Clear PE, Permanent Adhesive, TracRite™ 120 | Clear | | V-81 | 1.2 Mil PET | 500 | 76" |
| 011648 | OptiFlex® Squeeze™ MPE34633 - 3.4 Mil Silver Polyethylene, Permanent Adhesive, TracRite™ 120 | Silver | TC-793 | A-136 | 1.2 Mil PET | 500 | 60" |
| 057585 | OptiFlex® Thin MPE22719 - 2.2 Mil Silver PE, TC, V-01 Adhesive, .92 Mil Poly Liner | Silver | TC-793 | V-01 | 0.92 Mil PET | 500 | 60" |
| 011647 | OptiFlex® Squeeze™ PE30433 (PE 300 F White A-136 TracRite™ 120) | White | | A-136 | 1.2 Mil PET | 500 | 60" |
| 069058▲ | OptiFlex® EcoFocus® 069058 (PE 300 F White V-127RE TracRite™ 120) | White | | V-127RE | 1.2 Mil PET | 500 | 76" |
| 011312 | OptiFlex® ConformMax™ PE30453 - 3.0 Mil White PE, Permanent Adhesive, TracRite™ 92 | White | | V-81 | 1.2 Mil PET | 500 | 76" |

Consumer Durables

Performance for the real world.

Items intended to last for years need components that can withstand exposure to abrasion, harsh chemicals, UV rays, and more. Choosing materials that have been pushed to the limits ensures they will withstand the rigors of the real world.

Key applications include label substrates for brand identification, warning/instructional, compliance/tracking, and adhesive constructions for bonding and mounting.



FlexChoice™ Durables Products

This program allows you to order custom widths of specific products with smaller minimums, and fast turnaround. Visit www.flexcon.com/FlexChoice to view the list of products, locations, and minimums.

| FLX# | Flexcon® Products | 2,500' Rolls, +/- 10% 3" core | 5,000' Rolls, +/- 10% 3" core | Availability |
|---------|---|----------------------------------|----------------------------------|--------------|
| 000303▲ | DPM® CG Clear Polyester Overlam High-performance Adhesive Polyester Liner | ● | | CA, MA, NE |
| 000464▲ | ThermlFilm Select® 10852 TTR (W/R&R) 1 Mil Gloss TC Clear Overlam Polyester Permanent Adhesive | ● | | CA, MA, NE |
| 054108▲ | ThermlFilm® NexGen™ 20120 TTR (W/R&R) 2 Mil Clear High-performance Permanent Adhesive PCR Liner UL Recognized | | ● | CA, MA, NE |
| 054103▲ | ThermlFilm® NexGen™ 21110 TTR (W/R&R) 2 Mil White General-purpose Permanent Adhesive PCR Liner UL Recognized | | ● | CA, MA, NE |
| 054109▲ | ThermlFilm® NexGen™ 21120 TTR (W/R&R) 2 Mil White High-performance Permanent Adhesive PCR Liner UL Recognized | | ● | CA, MA, NE |
| 054110▲ | ThermlFilm® NexGen™ 23120 TTR (W/R&R) 2 Mil Silver Matte Permanent Adhesive PCR Liner UL Recognized | ● | | CA, MA, NE |
| 000306▲ | DPM® FW 4 Mil Flexible White Vinyl High-performance Adhesive Roll Liner | | ● | CA, MA, NE |
| 000308▲ | DPM® FWS 4 Mil Flexible White Vinyl High-performance Adhesive Sheet Liner | | ● | CA, MA, NE |

Consumer Durables Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | UL Recognized | MOQ (MSI) | Master Width |
|----------------------|---|--------------|---------|----------|---------------|---------------|-----------|--------------|
| Polycarbonate | | | | | | | | |
| 000360 | FlexMark® OL 300 Clear Velvet L-29 71B PMO-8 | Clear Velvet | | L-29 | 71B PMO-8 | ● | 500 | 54" |
| 000361 | FlexMark® OL 500 Clear Velvet L-29 71B PMO-8 | Clear Velvet | | L-29 | 71B PMO-8 | ● | 500 | 54" |
| 000422 | Flex-Vu™ OL 500 Clear Velvet L-29 150 Poly H-9 | Clear Velvet | | L-29 | 1.5 Mil PET | ● | 500 | 54" |
| 065368 | FlexMark® OL 500 Clear Velvet L-344 TracRite™ 100 | Clear Velvet | | L-344 | 1 Mil PET | ● | 500 | 54" |
| PET | | | | | | | | |
| 000324▲ | DPM® UVCG 1 Mil Clear UV Polyester, Overlaminating Adhesive, Film Liner Over Rolls and Sheets | Clear | | L-10 | 1 Mil PET | ● | 500 | 60" |
| 000233▲ | Classics Plus® 10092 - 1 Mil Clear Polyester, Overlaminating Adhesive, Film Liner Over Rolls and Sheets | Clear | | L-157 | 1 Mil PET | ● | 500 | 60" |
| 000279 | Classics Plus® 20092 - 2 Mil Clear Polyester, Overlaminating Adhesive, Film Liner Over Rolls and Sheets | Clear | | L-157 | 1 Mil PET | ● | 500 | 60" |
| 000464▲ | ThermIFilm Select® 10852 TTR (W/R&R) 1 Mil Gloss TC Clear Overlaminating, Polyester Permanent Adhesive, Roll Form Liner | Clear | TC-387 | L-157 | 44PP | ● | 500 | 60" |
| 007124 | Classics Plus® 20106 - Ink Receptive 2 Mil Clear Polyester Permanent Acrylic Adhesive Sheet Liner | Clear | TC-200 | L-23 | 90# | ● | 500 | 60" |
| 000303▲ | DPM® CG Clear Polyester Overlam High-performance Adhesive Polyester Liner | Clear | | L-344 | 1 Mil PET | ● | 500 | 60" |
| 068694 | Flexcon® NexGen™ CP344S Topcoated 2 Mil Clear PET High Perf Perm Adh Sheet Liner UL Recognized | Clear | TC-716 | L-344 | 92 FC PFW | ● | 500 | 60" |
| 000311 | DPM® PC 2 Mil Printable Clear Polyester High-performance Adhesive Roll Liner | Clear | PTP | L-344 | 50# Kraft | ● | 500 | 60" |
| 000313 | DPM® PCS 2 Mil Printable Clear Polyester High-performance Adhesive Sheet Liner | Clear | PTP | L-344 | 90# | ● | 500 | 60" |
| 054108▲ | ThermIFilm® NexGen™ 20120 TTR (W/R&R) 2 Mil Clear High-performance Permanent Adhesive PCR Liner UL Recognized | Clear | TC-716 | L-344 | 50# Kraft PCR | ● | 500 | 60" |
| 000282 | CompuCal® Excel™ 20440 MTC-722 Matte Topcoat 2 Mil Clear PET with High-performance Adhesive Roll Form Liner | Clear | MTC-722 | L-344 | 50# Kraft | ● | 500 | 60" |

Consumer Durables Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | UL Recognized | MOQ (MSI) | Master Width |
|------------------|--|--------------|---------|----------|---------------|---------------|-----------|--------------|
| PET cont. | | | | | | | | |
| 012395▲ | CompuCal® Excel™ 10442 MTC-722 Matte Topcoat 1 Mil Clear PET with High-performance Adhesive Roll Form Liner | Clear | MTC-722 | L-344 | 1 Mil PET | ● | 500 | 60" |
| 054102 | ThermiFilm® NexGen™ 20110 TTR (W/R&R) 2 Mil Clear General-purpose Permanent Adhesive PCR Liner UL Recognized | Clear | TC-716 | L-361 | 50# Kraft PCR | ● | 500 | 60" |
| 068695 | Flexcon® NexGen™ CP606H Topcoated 2 Mil Clear PET Perm Adh for Rough Surfaces PCR Roll Liner UL Recognized | Clear | TC-716 | L-606 | 50# Kraft PCR | ● | 500 | 60" |
| 068696 | Flexcon® NexGen™ CP606HS Topcoated 2 Mil Clear PET Perm Adh for Rough Surfaces Sheet Liner UL Recognized | Clear | TC-716 | L-606 | 92# FC | ● | 500 | 60" |
| 000312 | DPM® PCRTS 2 Mil Printable Clear PET High-performance Adhesive for Rough Textured Surfaces Roll Liner | Clear | PTP | L-606 | 50# Kraft/Q | ● | 500 | 60" |
| 066940 | DPM® LSE™ PM 200 Clear TC-716 L-778 PCR 50K-8 (1.2-1.3) | Clear | TC-716 | L-778 | 50# Kraft PCR | ● | 500 | 60" |
| 000609▲ | Classics Plus® 13092 - 1 Mil Clear Matte Polyester Overlaminating Adhesive Film Liner Over Rolls and Sheets | Clear Matte | | L-157 | 1 Mil PET | ● | 500 | 60" |
| 000304 | DPM® CM Matte Polyester Overlam High-performance Adhesive Polyester Liner | Clear Matte | | L-344 | 1 Mil PET | ● | 500 | 60" |
| 006722 | CompuCal II® PM 100 Clear MTC-329 L-23 Spec 50K-8 | Clear | MTC-329 | L-23 | 50# Kraft | ● | 500 | 60" |
| 007007 | CompuCal II® TamperMark™ MM 200 Silver Checkerboard MTC-329 L-156 Spec 50K-8 | Silver | MTC-329 | L-156 | 50# Kraft | ● | 1000 | 54" |
| 000322 | DPM® SS 2 Mil Silver Polyester High-performance Adhesive Sheet Liner | Silver | PTP | L-344 | 90# | ● | 500 | 60" |
| 000286 | CompuCal® Excel™ 22440 MTC-722 Matte Topcoat 2 Mil Silver PET with High-performance Adhesive Roll Form UL Recognized | Silver | MTC-722 | L-344 | 50# Kraft | ● | 500 | 60" |
| 068715 | Flexcon® NexGen™ SMP344S Topcoated 2 Mil Silv Mat PET High Perf Perm Adh Sheet Liner UL Recognized | Silver Matte | TC-716 | L-344 | 92# FC | ● | 500 | 54" |
| 068716 | Flexcon® NexGen™ L-606 Topcoated 2 Mil Silv Mat PET Perm Adh for Rough Surfaces PCR Roll Liner UL Recognized | Silver Matte | TC-716 | L-606 | 50# Kraft PCR | ● | 500 | 54" |
| 068717 | Flexcon® NexGen™ SMP606HS Topcoated 2 Mil Silv Mat PET Perm Adh for Rough Surfaces Sheet Liner UL Recognized | Silver Matte | TC-716 | L-606 | 92# FC | ● | 500 | 54" |

Consumer Durables Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | UL Recognized | MOQ (MSI) | Master Width |
|------------------|--|--------------|---------|----------|---------------|---------------|-----------|--------------|
| PET cont. | | | | | | | | |
| 054111 | ThermIFilm® NexGen™ 24120 TTR (W/R&R) 2 Mil Satin Silver High-performance Permanent Adhesive PCR Liner UL Recognized | Satin Silver | TC-716 | L-344 | 50# Kraft PCR | ● | 500 | 60" |
| 054105 | ThermIFilm® NexGen™ 24110 TTR (W/R&R) 2 Mil Satin Silver General-purpose Permanent Adhesive PCR Liner UL Recognized | Satin Silver | TC-716 | L-361 | 50# Kraft PCR | ● | 500 | 60" |
| 009624 | ThermIFilm Select® 22830 TTR (W/R&R) 2 Mil TC Silver Matte Polyester Permanent Adhesive, UL Recognized | Silver Matte | TC-387 | L-23 | 50# Kraft | ● | 500 | 54" |
| 054110▲ | ThermIFilm® NexGen™ 23120 TTR (W/R&R) 2 Mil Silver Matte Permanent Adhesive PCR Liner UL Recognized | Silver Matte | TC-716 | L-344 | 50# Kraft PCR | ● | 500 | 54" |
| 000319 | DPM® SMS 2 Mil Silver Matte Polyester High-performance Adhesive Sheet Liner | Silver Matte | TC-348 | L-344 | 90# | ● | 500 | 54" |
| 000470 | ThermIFilm Select® 22940 TTR (W/R&R) 2 Mil Gloss TC Silver Matte Polyester Permanent Adhesive UL Recognized | Silver Matte | TC-390 | L-344 | 50# Kraft | ● | 500 | 54" |
| 000317 | DPM® SM Silver Matte Polyester Hi-perf Adh Roll Liner | Silver Matte | TC-348 | L-344 | 50# Kraft | ● | 500 | 54" |
| 054107 | ThermIFilm® NexGen™ 23110 TTR (W/R&R) 2 Mil Silver Matte General-purpose Permanent Adhesive PCR Liner UL Recognized | Silver Matte | TC-716 | L-361 | 50# Kraft PCR | ● | 500 | 54" |
| 000471 | ThermIFilm Select® 22970 TTR (W/R&R) 2 Mil Gloss TC Silver Matte Polyester Permanent Adhesive, UL Recognized | Silver Matte | TC-390 | L-606 | 50# Kraft/Q | ● | 500 | 54" |
| 006999 | CompuCal II® TamperMark™ MM 200 Silver Void MTC-329 L-156 Spec 50K/Q-8 | Silver Void | MTC-329 | L-156 | 50# Kraft/Q | ● | 500 | 54" |
| 007914 | ThermIFilm® PM/M 800 White TC-390 No PS | White | TC-390 | | | | 500 | 54" |
| 000295 | CompuCal® Excel™ 21450 2 Mil Matte Top Coated White PET General-Purpose Permanent Adhesive Roll Liner | White | MTC-722 | L-224 | 50# Kraft | ● | 500 | 60" |
| 010373 | ThermIFilm® PM 200 White PTP L-224 Spec 50K-8 | White | PTP | L-224 | 50# Kraft | ● | 500 | 60" |
| 009628▲ | ThermIFilm Select® 21830 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized | White | TC-387 | L-23 | 50# Kraft | ● | 500 | 60" |
| 009627 | ThermIFilm Select® 21230 TTR(W/R&W) 2 Mil Matte TC White Poly Perm Adh, UL Recognized | White | MTC-329 | L-23 | 50# Kraft | ● | 500 | 60" |

Consumer Durables Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | UL Recognized | MOQ (MSI) | Master Width |
|-----------|--|-------|---------|----------|---------------|---------------|-----------|--------------|
| PET cont. | | | | | | | | |
| 058664 | FlexMark® PM 200 White TC-348 L-23 50 LF Remoisturize | White | TC-348 | L-23 | 50LF | ● | 1000 | 60" |
| 054109▲ | ThermiFilm® NexGen™ 21120 TTR (W/R&R) 2 Mil White High-performance Permanent Adhesive PCR Liner UL Recognized | White | TC-716 | L-344 | 50# Kraft PCR | ● | 500 | 60" |
| 000284▲ | CompuCal® Excel™ 21440 MTC-722 Matte Topcoat 2 Mil White PET with High-performance Adhesive Roll Form Liner | White | MTC-722 | L-344 | 50# Kraft | ● | 500 | 60" |
| 000285 | CompuCal® Excel™ 21449 MTC-722 Matte Topcoat 2 Mil White PET with High-performance Adhesive Sheet form UL Recognized | White | MTC-722 | L-344 | 91 PRT PFW | ● | 500 | 60" |
| 067176 | CompuCal® Excel™ PM 200 White MTC-722 L-344 60 PFN | White | MTC-722 | L-344 | 60# | ● | 500 | 54" |
| 000377 | DPM® PW White Polyester Hi-perf Adh Roll Liner | White | TC-348 | L-344 | 50# Kraft | ● | 500 | 60" |
| 068700 | Flexcon® NexGen™ WP344S Topcoated 2 Mil White PET High-performance Permanent Adhesive Sheet Liner UL Recognized | White | TC-716 | L-344 | 90# | ● | 500 | 60" |
| 009387 | CompuCal® Excel™ PM 200 White MTC-722 L-344 150 Poly H-9 | White | MTC-722 | L-344 | 1.5 Mil PET | ● | 500 | 60" |
| 000375▲ | DPM® PWS 2 Mil Printable White Polyester High-performance Adhesive Sheet Liner | White | TC-348 | L-344 | 90# | ● | 500 | 60" |
| 000467▲ | ThermiFilm Select® 21940 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized | White | TC-390 | L-344 | 50# Kraft | ● | 500 | 60" |
| 054103▲ | ThermiFilm® NexGen™ 21110 TTR (W/R&R) 2 Mil White General-purpose Permanent Adhesive PCR Liner UL Recognized | White | TC-716 | L-361 | 50# Kraft PCR | ● | 500 | 60" |
| 070437 | ThermiFilm® ChemGard™ 21361V2 2.0 White PET, Matte TC, High-performance Adhesive, Roll Liner UL Recognized | White | | L-606 | 50# Kraft | ● | 500 | 60" |
| 000376 | DPM® PWSRTS 2 Mil Printable White PET High-performance Adhesive for Rough Textured Surfaces Sheet Liner | White | TC-348 | L-606 | 90# | ● | 500 | 60" |
| 000468▲ | ThermiFilm Select® 21970 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized | White | TC-390 | L-606 | 50# Kraft | ● | 500 | 60" |
| 021761▲ | ThermiFilm Select® 21980 TTR (W/R&R) 2 Mil Gloss TC White Polyester Permanent Adhesive, UL Recognized | White | TC-390 | L-606 | 50# Kraft/Q | ● | 500 | 60" |

Consumer Durables Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | UL Recognized | MOQ (MSI) | Master Width |
|---------------------------|--|----------------|---------|----------|---------------|---------------|-----------|--------------|
| PET cont. | | | | | | | | |
| 068701 | Flexcon® NexGen™ WP606H Topcoated 2 Mil White PET Perm Adhesive for Rough Surfaces PCR Roll Liner UL Recognized | White | TC-716 | L-606 | 50# Kraft PCR | ● | 500 | 60" |
| 068702 | Flexcon® NexGen™ WP606HS Topcoated 2 Mil White PET Perm Adhesive for Rough Surfaces Sheet Liner UL Recognized | White | TC-716 | L-606 | 92# FC | ● | 500 | 60" |
| 067637 | CompuCal® Excel™ PM 200 White MTC-722 V-606 60 PFN (1.9-2.1) | White | MTC-722 | V-606 | 60# | ● | 500 | 54" |
| 056046 | DPM® LSE™ PM 200 White TC-716 L-778 PCR 50K/Q-8 (1.8-2.0) | White | TC-716 | L-778 | 50# Kraft PCR | ● | 1000 | 60" |
| 068703 | Flexcon® NexGen™ WP778 Top-coated 2 Mil White PET Supreme Permanent Adhesive for LSE PCR Roll Liner UL Recognized | White | TC-716 | L-778 | 50# Kraft PCR | ● | 500 | 60" |
| Polyethylene | | | | | | | | |
| 000440 | ThermlFilm® PE 200 White Destruct TC-387 L-88 Spec 50K-8 | White Destruct | TC-387 | L-88 | 50# Kraft | ● | 500 | 54" |
| Polypropylene (PP) | | | | | | | | |
| 068532 | Flexcon® NexGen™ WPP344S 4 Mil White Polypropylene High-performance Permanent Adhesive Sheet Liner | White | TC-716 | L-344 | 92 FC PFW | ● | 500 | 60" |
| 068544 | Flexcon® NexGen™ WPP344 4 Mil White Polypropylene High-performance Permanent Adhesive Roll Liner | White | TC-716 | L-344 | 50# Kraft PCR | ● | 500 | 60" |
| 055049 | ThermlFilm® NexGen™ PP31210 TTR (W/R & R) 2.3 Mil White General Purpose Permanent Adhesive PCR Liner UL Recognized | White | TC-853 | L-361 | 50# Kraft PCR | ● | 500 | 60" |
| Tedlar®* | | | | | | | | |
| 069283 | DPM® TCG 1 Mil Clear PVF Overlam, Permanent Adhesive, Overlaminating Liner | Clear | | V-22 | 42 White PP-8 | | 500 | 60" |

*Tedlar® is a registered trademark of Dupont Electronics, Inc.

Consumer Durables Products


| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | UL Recognized | MOQ (MSI) | Master Width |
|--------------|--|------------------|---------|----------|---------------|---------------|-----------|--------------|
| Vinyl | | | | | | | | |
| 000298 | ConformCal™ V 400 F SC V-29 90 PFW | Clear | | V-29 | 90# | | 500 | 60" |
| 006451 | ConformCal™ V 400 F SC TC-248 V-29 90 PFW | Clear High Gloss | TC-248 | V-29 | 90# | | 500 | 60" |
| 000409 | FlexMark® V 400 Frosty Clear TC-106 L-29 Spec 50K-8 | Frosty Clear | TC-106 | L-29 | 50# Kraft | ● | 500 | 60 |
| 004115 | FlexMark® V 400 F White L-156 90 PFW | White | | L-156 | 90# | ● | 500 | 60" |
| 000310 | DPM® LLLFW Ladder Label Flex White | White | TC-348 | L-224 | 50# Kraft | ● | 500 | 60" |
| 059531 | Classics Plus® 41145 - Ink Receptive White Vinyl Permanent Acrylic Adhesive Roll Liner | White | TC-248 | L-224 | 50# Kraft | ● | 500 | 60" |
| 000306▲ | DPM® FW 4 Mil Flexible White Vinyl High-Performance Adhesive Roll Liner | White | TC-348 | L-344 | 50# Kraft | ● | 500 | 60" |
| 068722 | Flexcon® NexGen™ WV344HS Flex White Vinyl Perm Adh for Rough Surfaces Sheet Liner UL Recognized | White | | L-344 | 92 FC PFW | ● | 500 | 60" |
| 000307 | DPM® FWRTS 4 Mil Flexible White Vinyl High-Performance Adhesive for Rough Textured Surfaces Roll Liner | White | TC-348 | L-344 | 50# Kraft | ● | 500 | 60" |
| 000308▲ | DPM® FWS 4 Mil Flexible White Vinyl High-Performance Adhesive Sheet Liner | White | | L-344 | 90# | ● | 500 | 60" |
| 000309 | DPM® FWSRTS 4 Mil Flexible White Vinyl High-Performance Adhesive for Rough Textured Surfaces Sheet Liner | White | | L-344 | 90# | ● | 500 | 60" |
| 068961 | Flexcon® NexGen™ WV778 Topcoated Flex White Vinyl Supreme Perm Adh for LSE PCR Roll Liner UL Recognized | White | TC-716 | L-778 | 50# Kraft PCR | ● | 500 | 60" |

Healthcare

Advanced medical adhesives for wearables, diagnostics, and labeling solutions.

Superior quality is at the heart of every Flexcon healthcare medical adhesive product.

Key applications include: wearables, diagnostics, pharmaceutical, and medical device labels.



Healthcare - Functional Products

| FLX# | Flexcon® Products | Color | Wear Time | Adhesive | Liner | MOQ (MSI) | Master Width |
|----------------------------|---|-------|------------|----------|---------------------------|-----------|--------------|
| NNRU | | | | | | | |
| 006979▲ | DermaFlex™ NNRU 100 Clear H-566 Spec 50K-9 | Clear | Long term | H-566 | 50# Kraft | 500 | 54" |
| Non-woven Polyester | | | | | | | |
| 006942 | DermaFlex™ NWP 240 Flesh H-566 Spec 50K-8 | Flesh | Long term | H-566 | 50# Kraft | 500 | 60" |
| Polyethylene Foam | | | | | | | |
| 065697 | DermaFlex™ P.E.F. 32 White H-529 90 PFW (1.9-2.1) | White | Short term | H-529 | 90# | 500 | 58.5" |
| No Film | | | | | | | |
| 070898 | Omni-Wave™ TT 200 Black H-510 200 Poly H-9 44PP-8 | Black | | H-510 | 2.0 Mil PET/ 40# Kraft | 500 | 60" |
| 070271 | Omni-Wave™ TT 200 Black H-510 400 Poly H-9 44PP-8 | Black | | H-510 | 4.0 Mil PET/ 40# Kraft | 500 | 60" |

Healthcare - Labeling Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|-------------|---|--------------|---------|-----------------|---------------------------|-----------|--------------|
| BOPP | | | | | | | |
| 000212 | PharmCal® PP 200 H Clear TC-332™ V-232 TracRite™ 150 | Clear | TC-332™ | V-232 | 1.5 Mil PET | 500 | 60" |
| 000211▲ | PharmCal® Supreme 000211 (PharmCal® PP 200 H Clear TC-332™ V-232C TracRite™ 150) | Clear | TC-332™ | V-232C | 1.5 Mil PET | 500 | 60" |
| 068904 | PharmCal® OTC 068904 (PharmCal® PP 200 H Clear TC-458 V-449 Spec 40K-8) | Clear | TC-458 | V-449 | 40# Kraft | 500 | 60" |
| 068902 | PharmCal® OTC 068902 (PharmCal® PP 200 H Clear TC-458 V-449 TracRite™ 120) | Clear | TC-458 | V-449 | 1.2 Mil PET | 500 | 60" |
| 006126 | PharmCal® TamperMark™ 006126 (PharmCal® PP 200 H Clear TC-332™ V-88 150 Poly H-9) | Clear | TC-332™ | V-88 | 1.5 Mil PET | 500 | 60" |
| 070806 | PharmCal® CryoFlex™ 070806 (PP 100 Clear Matte TC-716 V-176 120 Poly H-9) | Clear Matte | TC-716 | V-176 | 1.2 Mil PET | 500 | 60" |
| 069088 | PharmCal® BioMark 069088 (PharmCal® PE 380 F White Matte PTP V-224 Spec 50K-8) | White | PTP | V-224 | 50# Kraft | 500 | 60" |
| 069165 | PharmCal® BioMark 069165 (PharmCal® P 300 White V-224 200 Poly SC-6 V-246 Spec 50K-8) | White | | V-224/ V-246 | 2.0 Mil PET/ 50# Kraft | 1000 | 60" |
| 000300 | PharmCal® CryoFlex™ 000300 (CryoFlex™ PEWM) | White | PTP | V-32 | 50# Kraft | 500 | 60" |
| 000302 | PharmCal® CryoFlex™ 000302 (CryoFlex™ PPW) | White | TC-679 | V-32 | 50# Kraft | 500 | 60" |
| 068639 | PharmCal® Supreme 068639 (PharmCal® PP 260 H White TC-272 V-344 TracRite™ 150) | White | TC-272 | V-344 | 1.5 Mil PET | 500 | 60" |
| 011974 | PharmCal® Supreme 011974 (PharmCal® PP 230 H White TC-332™ V-344 TracRite™ 150) | White | TC-332™ | V-344 | 1.5 Mil PET | 500 | 60" |
| 068903▲ | PharmCal® OTC 068903 (PharmCal® PP 230 H White TC-458 V-449 TracRite™ 120) | White | TC-458 | V-449 | 1.2 Mil PET | 500 | 60" |
| 069047 | PharmCal® Conceal™ 069047 (PharmCal® PPM 230 H White Opaque TC-332™ V-344 Spec 50K-8) | White Opaque | TC-332™ | V-344 | 50# Kraft | 500 | 60" |

Healthcare - Labeling Products


| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|------------------|---|---------------------|--------------|----------|--------------|-----------|--------------|
| Diacetate | | | | | | | |
| 001278 | FlexMark® DA 200 Clear V-23 150 Poly H-9 | Clear | | V-23 | 1.5 Mil PET | 500 | 52" |
| 000214 | FlexMark® DA 200 Clear V-88 Spec 50K/Q-8 | Clear | | V-88 | 50# Kraft | 500 | 52" |
| 069087 | PharmCal® TamperMark™ 069087 (PharmCal® DA 200 Clear V-88 Spec 50K/Q-8) | Clear | | V-88 | 50# Kraft | 500 | 52" |
| PET | | | | | | | |
| 057534 | FlexMark® 200 Poly SC-9 MTC-722 | | MTC-722 | | 2 Mil PET | 500 | 60" |
| 058495 | PharmCal® PM 150 Clear PTP No PS TC-848 | Clear | PTP / TC-848 | | | 500 | 54" |
| 065581 | PharmCal® PM 100 Clear TC-282 V-305 142 Poly C-8 | Clear | TC-282 | V-305 | 1.42 Mil PET | 500 | 60" |
| 006115 | PharmCal® PM 150 Clear TC-249 V-95 150 Poly H-9 | Clear | TC-249 | V-95 | 1.5 Mil PET | 500 | 60" |
| 069053 | PharmCal® TamperMark™ 069053 (PharmCal® MM 150 Silver Checkerboard TC-716 V-156 Spec 50K/Q-8) | Silver Checkerboard | TC-716 | V-156 | 50# Kraft | 500 | 54" |
| 003042 | FlexMark® PM 200 White TC-249 L-23 90 PFW | White | TC-249 | L-23 | 90# | 500 | 60" |
| 016461 | FlexMark® PM 200 White TC-249 L-23 TracRite™ 120 | White | TC-249 | L-23 | 1.2 Mil PET | 500 | 60" |
| Vinyl | | | | | | | |
| 069411 | PharmCal® V 400 Frosty Clear Gloss TC-848 V-23 150 Poly H-9 | Frosty Clear | TC-848 | V-23 | 1.5 Mil PET | 500 | 60" |

Industrial & Transportation

Durable solutions for tough applications and demanding environments.

Materials used in transportation and industrial applications are subjected to harsh environments and rigorous conditions. Feel confident in the performance of safety and identification labels and functional adhesive constructions in a variety of environments.

Key applications include: label substrates for brand identification, warning/instructional, compliance/tracking, security, wire wraps, insulation, bonding, noise damping, sealing, barrier, hazardous chemical, and graphic kits.



Industrial & Transportation Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | Agency Listed | MOQ (MSI) | Master Width |
|--------------------------|--|--------------|---------|----------------------|-------------------------------------|---------------|-----------|--------------|
| Nylon Cloth | | | | | | | | |
| 054149 | 2178SL DLC-503-78MO | | | Silicone/ Acrylic | 2 Mil PET FSR/ 78K C1S | | 500 | 38" |
| 054150 | 2201SL DLC-503-80RH | | | Silicone/ Acrylic | 2 Mil PET FSR/78K C2S | | 500 | 38" |
| PET | | | | | | | | |
| 050864 | DrumCal™ PM 200 White PTP V-344DL 92 LZR | White | PTP | V-344DL | 92 LZR | BS 5609 | 500 | 54" |
| PET Reflective | | | | | | | | |
| 054552 | ReflectaMark® PM 400 White Reflective V-344 50K-6 | White | | V-344 | 50# Kraft TR | | 500 | 48" |
| 055420 | ReflectaMark® PM 400 White Reflective V-344 90 PFW | White | | V-344 | 90# | | 500 | 48" |
| Polycarbonate | | | | | | | | |
| 067807 | FlexMark® UVOL 500 Clear Velvet V-344 150 Poly H-9 | Clear Velvet | | V-344 | 1.5 Mil PET | | 500 | 50" |
| Silicone Adhesive | | | | | | | | |
| 029186 | SA6102 LR | | | SA6000 | 3 Mil PET FSR/ 2 Mil PET FSR | | 250 | 54" |
| 067947 | Densil® D30 300 Poly FSR 150 Poly FSR | | | Densil® SC-109 | 1.5 Mil PET FSR/3 Mil PET FSR | | 1000 | 48" |
| 027403 | Densil® 10 78K 200Poly White-9 | White | | Silicone | 2 Mil White PET/78# Kraft | | 1000 | 54" |

Industrial & Transportation Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | Agency Listed | MOQ (MSI) | Master Width |
|----------------------|--|-------|---------|----------|-------------|---------------|-----------|--------------|
| Transfer Tape | | | | | | | | |
| 000487 | FlexMount® TT 200 L-344 60 LA PFW | | | L-344 | 60 LA PFW | UL | 500 | 60" |
| 009879 | FlexMount® TT 200 L-344 84 LA PFT | | | L-344 | 84 LA PFT | UL | 500 | 60" |
| 000488 | FlexMount® TT 200 L-606 60 LA PFW | | | L-606 | 60 LA PFW | UL | 500 | 60" |
| 000562 | FlexMount® TT 200 L-606 84 LA PFT | | | L-606 | 84 LA PFT | UL | 500 | 60" |
| 000491 | FlexMount® TT 400 L-606 60 LA PFW | | | L-606 | 60 LA PFW | UL | 500 | 60" |
| 000564 | FlexMount® TT 400 L-606 84 LA PFT | | | L-606 | 84 LA PFT | UL | 500 | 60" |
| 012729 | FlexMount® TT 200 V-778 84 LA PFT | | | V-778 | 84 LA PFT | | 500 | 60" |
| Vinyl | | | | | | | | |
| 004325 | FlexMark® V 400 F White TC-106 L-156 Spec 50K/Q-8 | White | TC-106 | L-156 | 50# Kraft/Q | UL | 500 | 60" |
| 000332 | DrumCal™ 41028 3.1 Mil Laser Print White PVC General-purpose Permanent Adhesive 92 Lb. Sheet Liner BS 5609 | White | | V-224 | 91 PRT PFW | BS 5609 | 500 | 54" |
| 058668 | DrumCal™ 41521 3.1 Mil Laser Print White PVC General-purpose Permanent Adhesive 74# Roll to Sheet Liner BS5609 | White | TC-274 | V-224 | 74 RB | BS 5609 | 500 | 54" |
| 069117 | DrumCal™ 41743 3.5 Mil Matte Top Coated Flexible White Vinyl Permanent Adhesive 77 Lb. Roll to Sheet BS 5609 | White | MTC-722 | V-344DL | 77 PRT PFW | BS 5609 | 500 | 54" |

Retail & Advertising

Performance materials
that deliver impactful
brand experiences.

Visual communications bring the brand experience to life in spectacular fashion along the consumer path to purchase.

Key applications include: buildings, vehicles, floors, walls, windows, shelves, and more.



Retail & Advertising Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|--------------------------|---|----------------|---------|----------|-----------|-----------|--------------|
| Cast Vinyl | | | | | | | |
| 024229 | BusArt™ OV5055 2 Mil Clear Cast Laminating Vinyl | Clear | | V-29 | 1 Mil PET | 500 | 54" |
| PET | | | | | | | |
| 000010 | Classics Plus® Select™ 50286SL Ink Receptive Sheet Form 1.5 Mil Clear PET with Adhesive | Clear | PTP | V-465 | 90# | 500 | 60" |
| 000021 | Classics Plus® Select™ 57206SL Ink Receptive Sheet Liner 1.5 Mil Gold PET with Adhesive | Gold #78 | PTP | V-465 | 90# | 500 | 54" |
| 000019 | Classics Plus® Select™ 52286SL Ink Receptive Sheet Form 1.5 Mil Silver PET with Adhesive | Silver | PTP | V-465 | 90# | 500 | 60" |
| 000017 | Classics Plus® Select™ 55285SL Ink Receptive Roll Form 1.5 Mil Brushed Silver PET with Adhesive | Brushed Silver | PTP | V-465 | 50# Kraft | 500 | 54" |
| PET/PP Lamination | | | | | | | |
| 013269 | FlexTwin® 3930TWD 2.65 Mil White Opaque Film for 2-Way Window Graphics, Permanent Adhesive, Polyester Liner | White Opaque | TC-848 | V-32 | 1 Mil PET | 500 | 60" |
| Lamination | | | | | | | |
| 019110 | FlexMark® 6121 8 Mil Black/White Gripper Laminate Adhesive Coated White Side | Black/White | | V-344 | 42# | 500 | 54" |
| Polyolefin | | | | | | | |
| 028903 | WindowDeco™ 6272 3.6 Mil Clear Polyolefin Low-tack Removable Adhesive Sheet Liner | Clear | | V-323 | 90# | 500 | 60" |
| 028904 | WindowDeco™ 6270 3.6 Mil White Polyolefin Low-tack Removable Adhesive Sheet Liner | White | | V-323 | 90# | 500 | 60" |
| Vinyl | | | | | | | |
| 019129 | FlexMark® OV6602 4 Mil Clear Gloss Vinyl Overlaminates | Clear | | V-29 | 1 Mil PET | 500 | 54" |
| 066536 | BusArt™ OV5020LBN | Clear | | V-29 | 44PP-8 | 500 | 54", 62" |

Retail & Advertising Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|--------------------|--|---------------------|---------|----------|-------------|-----------|---------------|
| Vinyl cont. | | | | | | | |
| 019120 | WindowDeco™ 6541 4 Mil Clear Vinyl Low-tack Removable Adhesive Lay Flat Sheet Liner | Clear | | V-323 | 90# | 500 | 54", 60" |
| 059980 | FlexMark® CP Clear Vinyl, Coated with a High-performance Permanent Adhesive | Clear | | V-344 | 90# | 500 | 54", 60" |
| 059983 | FlexMark® CR Clear Vinyl, Coated with a High-performance Removable Adhesive | Clear | | V-58 | 90# | 500 | 54" |
| 066519 | JetBond® 43138BN 4 Mil flexible Clear Matte Overlam Vinyl, Permanent Adhesive, Overlam Liner | Clear Matte | | V-63 | 44PP-8 | 500 | 60" |
| 056660 | Shelf Select® FCFZR Frosty Clear Vinyl Removable Adhesive Sheet Liner | Frosty Clear | | V-330 | 92 LZR | 500 | 56", 66" |
| 066520 | JetBond® 44138BN 4 Mil Frosty Clear Overlam Vinyl, Permanent Adhesive, Overlam Liner | Frosty Clear | | V-63 | 44PP-8 | 500 | 60" |
| 066159 | FlexMark® OV6603BN 6 Mil Frosty Clear Safari Vinyl Overlaminates | Frosty Clear Safari | | V-29 | 44PP-8 | 500 | 54" |
| 019124 | FlexMark® OV6601 6.5 Mil Clear Velvet Vinyl Overlaminates | Clear Velvet | | V-29 | 71B PMO-8 | 500 | 54" |
| 000069 | BusArt™ V 400 F White A-69 90 PFW BA | White | | A-69 | BusArt™ 90# | 500 | 54" |
| 000077 | FlexMark® PLV 400 F White V-29 90 PFW | White | | V-29 | 90# | 500 | 54", 60" |
| 019116 | WindowDeco™ 6501 4 Mil White Vinyl Low-tack Removable Adhesive Lay Flat Sheet Liner | White | | V-323 | 94 PFW | 500 | 54", 60" |
| 056661▲ | Shelf Select® FWFZR White Vinyl Removable Adhesive Sheet Liner | White | | V-330 | 92 LZR | 500 | 55", 66", 68" |
| 000007 | Classics Plus® Select™ 31173SL 3.25 Mil Ink Receptive White Vinyl Removable Adhesive Roll to Sheet | White | TC-348 | V-465 | 65B M&O-6 | 500 | 60" |
| 000115 | Classics Plus® 41006 - White Vinyl Permanent Acrylic Adhesive Sheet Liner | White | | V-465 | 90# | 500 | 60" |
| 009648▲ | Classics Plus® Select™ 31086SL 3.1 Mil Sheet Form White Vinyl with Adhesive | White | | V-465 | 90# | 500 | 60", 65" |
| 000110 | FlexMark® PLV 400 F White V-58 90 PFW | White | | V-58 | 90# | 500 | 60" |

Retail & Advertising Products

| FLX# | Flexcon® Products | Color | Topcoat | Adhesive | Liner | MOQ (MSI) | Master Width |
|-------------------------|--|---------------------|---------|----------|---------------|-----------|---------------|
| Vinyl cont. | | | | | | | |
| 028884 | WallDeco™ 6730 6 Mil White Vinyl High-Tack Removable Adhesive Sheet Liner | White | | V-58 | 90# | 500 | 54" |
| 000082 | FlexMark® BilBrd™ BWV 4 Mil flexible Bright White Opaque Vinyl, Permanent Adhesive, Sheet Form Liner | Bright White Opaque | | V-344 | 90# | 500 | 54", 60" |
| 000619 | FlexMark® BilBrd™ BWV RTS (1.9-2.1) | Bright White Opaque | | V-344 | 90# | 500 | 54", 60" |
| 019141 | FlexMark® Floor Art™ 6610 4 Mil White Opaque Floor Vinyl Removable Adhesive Layflat Liner (Indoor Floors) | White Opaque | | A-109 | 90# | 500 | 54" |
| 059984 | FlexMark® WP White Opaque Vinyl, Coated with a High-performance Permanent Adhesive | White Opaque | | V-344 | 90# | 500 | 54", 60" |
| 056169 | FlexMark® WPAE White Opaque Vinyl, High-performance Permanent Adhesive, Air Egress Liner | White Opaque | | V-344 | 90# AE | 500 | 54" |
| 019922 | RailMark™ 5372RS 4 Mil Flexible White Opaque Vinyl Specialty RailMark™ Adhesive, RailMark™ Liner | White Opaque | | V-344 | Railmark™ 90# | 500 | 62" |
| 059985 | FlexMark® WR White Opaque Vinyl, Coated with a High-performance Removable Adhesive | White Opaque | | V-58 | 90# | 500 | 54" |
| 064832 | FlexMark® WRAE White Opaque Vinyl, High-performance Removable Adhesive, Air Egress Liner | White Opaque | | V-58 | 90# AE | 500 | 54", 60" |
| 000081 | BusMark® 5800 White Opaque Removable Vinyl for Kings, Queens and Tail Bus Posters | White Opaque | | V-58 | BusMark® 90# | 500 | 54", 62", 64" |
| 000638 | LiteCal® 5200 | White Translucent | TC-848 | V-58 | 90# | 500 | 60" |
| 069638 | ShimmerCal™ Silver 2.6 Mil Silver Special Vinyl Permanent Adhesive Sheet Form Liner | Silver | | V-300 | 90# | 500 | 40" |
| 000035 | FlexMark® V 400 F Yellow V-465 90 PFW | Yellow | | V-465 | 90# | 500 | 60" |
| Vinyl Lamination | | | | | | | |
| 000084 | SeeThru-Sign® STSWBF2 8 Mil 60/40 White/Black Flexible Perforated Film Removable Adhesive Perf'd Clear Sheet Liner | White/Black | | V-58 | 90# | 500 | 53" |
| 009136 | SeeThru-Sign® STSWBF7030 8 Mil 70/30 White/Black Flexible Perforated Film Removable Adhesive Perf'd Liner | White/Black | | V-58 | 90# | 500 | 53", 60" |


Supporting Businesses Globally

Flexcon® Global is a preferred provider of innovative coatings, film laminations, and functional technologies. Flexcon is committed to understanding customer challenges and co-creating solutions that positively impact society and the environment.

A family-owned business for nearly 70 years, Flexcon develops and manufactures quality products with precision and efficiency for markets such as healthcare, sustainable packaging, transportation, consumer durables, electronics, industrial, retail & advertising and

construction & energy with a goal of advancing bonds, innovation and our world.

Headquartered in Spencer, MA, USA, the company has operations and distribution throughout North America, Europe and Asia. For more information, visit www.flexcon.com, follow Flexcon on LinkedIn, or call +1-508-885-8200.



Flexcon Company, Inc.
1 Flexcon Industrial Park, Spencer, MA 01562-2642
+1 (508) 885-8200 | flexcon.com

Product Performance and Suitability: Descriptive information, performance data, and recommendations for Flexcon products are guides and not specifications. Providing this information is to assist you and does not constitute a warranty of any kind by Flexcon.

Purchasers must independently determine the material's suitability for their intended use. No distributor, salesman, or representative of Flexcon is authorized to provide any warranty or guarantee beyond what is stated. FLEXCON MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, OR TRADE USAGE.